

# DOODLE LABS 2.2 GHZ OMNI ANTENNA

ANT-2250-3-O



## ELECTRICAL DATA

**Frequency Range** 2200-2300 MHz

**Peak Gain** 3 dBi

**VSWR** < 1.5:1

**Horizontal Beamwidth** 360 Degrees

## GENERAL DATA

**Colour** Black

**Pigtail** RG402

**Connector Type** SMA Male

**Polarization** Multi-polarized

**Power** 50 Watts Input

**Impedance** 50 ohms nominal

**Construction** ABS/6061 ALU

# DOODLE LABS 2.2 GHZ OMNI ANTENNA

ANT-2250-3-O



## MECHANICAL DATA

<b>Length</b>	137 mm
<b>Diameter</b>	25.4 mm
<b>Mounting Type</b>	Connector
<b>Weight</b>	24 g



## ENVIRONMENTAL DATA

<b>Environmental Condition</b>	Indoor/Outdoor
<b>Operation Temperature</b>	-40°C to +85 °C
<b>Storage temperature</b>	-40°C to +85 °C
<b>Transport temperature</b>	-40°C to +85 °C
<b>IP Rating</b>	IP67

# DOODLE LABS 2.2 GHZ OMNI ANTENNA

## ANT-2250-3-O

Peak Gain: 3 dBi



## DOODLE LABS 2.2 GHZ OMNI ANTENNA

ANT-2250-3-O

Dimension are in mm

